



RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/787,016A
Source: FW 16
Date Processed by STIC: 1/6/05

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER
VERSION 4.2 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND
TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom. Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<<http://www.uspto.gov/ebc/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box-1450, Alexandria, VA 22313-1450
3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 06/05/04):
U.S. Patent and Trademark Office, 220 20th Street S., Customer Window, Mail Stop Sequence, Crystal Plaza Two, Lobby, Room 1B03, Arlington, VA 22202



IFW16

RAW SEQUENCE LISTING

DATE: 01/06/2005

PATENT APPLICATION: US/09/787,016A

TIME: 16:22:43

Input Set : A:\SEQLISTING46309-253995.txt

Output Set: N:\CRF4\01062005\I787016A.raw

4 <110> APPLICANT: Consejo Superior de Investigaciones Cientificas
6 <120> TITLE OF INVENTION: New Gene
8 <130> FILE REFERENCE: DGB/DE/PCT131
C--> 10 <140> CURRENT APPLICATION NUMBER: US/09/787,016A
C--> 11 <141> CURRENT FILING DATE: 2001-08-30
13 <150> PRIOR APPLICATION NUMBER: SE 9803069.5
14 <151> PRIOR FILING DATE: 1998-09-10
16 <150> PRIOR APPLICATION NUMBER: US 60/100,873
17 <151> PRIOR FILING DATE: 1998-09-17
E--> 19 <160> NUMBER OF SEQ ID NOS: 46 (see p. 2)
21 <170> SOFTWARE: PatentIn Ver. 2.1

pp 1-3
Does Not Comply
Corrected Diskette Needed

ERRORED SEQUENCES

09/787,016A

2

<210> 6 *← last sequence in submitted file*
<211> 16
<212> PRT
<213> Artificial

SEQUENCE LISTING

<110> Consejo Superior de Investigaciones Cientificas

<120> New Gene

<130> DGB/DE/PCT131

<150> <140> PCT/GB99/03019

<151> <141> 1999-09-10

<150> SE 9803069.5

<151> 1998-09-10

<150> US 60/100,873

<151> 1998-09-17

<160> 4

<170> PatentIn Ver. 2.1

<210> 1

<211> 2610

<212> DNA

<213> Homo sapiens

<220>

<223> This gene is referred to in the application as Human Death Inducer Obliterator Gene 1. It has now been named by the Human Gene Nomenclature Committee as Death-Associated Transcription Factor (DATF-1)

<400> 1

Per 1.823 of Sequence Rules, <223> has a maximum of 4 lines. Insert another <220> after 4th line, and a <223> at beginning of 5th line.

These
are
prior
data

insert

<220> ←

insert → <223>

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/09/787,016A

DATE: 01/06/2005
TIME: 16:22:44

Input Set : A:\SEQLISTING46309-253995.txt
Output Set: N:\CRF4\01062005\I787016A.raw

Invalid <213> Response:

Use of "Artificial" only as "<213> Organism" response is incomplete,
per 1.823(b) of New Sequence Rules. Valid response is Artificial Sequence.

Seq#:5,6

VERIFICATION SUMMARY

DATE: 01/06/2005

PATENT APPLICATION: **US/09/787,016A**

TIME: 16:22:44

Input Set : **A:\SEQLISTING46309-253995.txt**

Output Set: **N:\CRF4\01062005\I787016A.raw**

L:10 M:270 C: Current Application Number differs, Replaced Current Application Number
L:11 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:33 M:259 W: Allowed number of lines exceeded, <223> Other Information:
L:19 M:203 E: No. of Seq. differs, <160> Number Of Sequences:Input (4) Counted (6)